

Date of issue: 17.08.2016; Rev. SDS1.0EN; Replaces Data Sheet of: ---
 "**" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: ExtractNow™ Vegan Control Kit, Wash Buffer E1
Article – No.: 607-1010, 607-1050
Index number: n.ap.
EG number: n.ap.
CAS number: n.ap.
Registration number: n.ap.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses advised against: No further relevant information available.
 Other non-specified industry: Laboratory chemicals

1.3 Details of the supplier of the safety data sheet

1.3.1 Address of the Company / Supplier:

Minerva Biolabs GmbH, Köpenicker Straße 325, D- 12555 Berlin
 Telephone: +49 30 - 2000 437-0, Telefax: +49 30-2000 437-9, E-Mail: info@minerva-biolabs.com

1.3.2 Responsible for the data sheet:

info@minerva-biolabs.com

1.4 Emergency telephone number

Emergency - Telephone of Company / Undertaking
 Telephone: +49 30-2000 437-0 (08:30 – 16:30)

Information Centre Specializing in Symptoms of
 Poisoning
 Telephone: +44 870 600 6266

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Mixture

Classification and labelling according to directive 1272/2008/EC:

Flam Liq. 2, H225
 Skin Corr. 1B, H314
 Eye Dam. 1, H318
 Acute Tox. 4, H302
 STOT SE 3, H336
 Aquatic Chronic 3, H412

2.2 Label elements

Classification according to 1272/2008/EC: Yes.
 Applicable Exemptions: No.
 Signal word(s): Danger
 Component(s):

Contains: Guanidinium thiocyanate
 Polyethylene glycol octylphenol ether
 Propan-2-ol

Hazard pictogram(s):



Hazard statements (H-Phrases):

H225 Highly flammable liquid and vapour.
 H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H336 May cause drowsiness or dizziness.
 H412 Harmful to aquatic life with long lasting effects.

Date of issue: 17.08.2016; Rev. SDS1.0EN; Replaces Data Sheet of: ---

"*" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available

Precautionary statements (P-Phrases):

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

The above mentioned labelling is valid for distribution to industrial user.

Additional Information:

EUH032 Contact with acids liberates very toxic gas.

2.3 Other Hazards

This mixture contains no substances which are assessed to be PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

n.ap.

3.2 Mixtures

Product/ingredient name		H-Phrases	m%-range
Cas – No.	EC – No.		
Guanidinium thiocyanate			
593-84-0	209-812-1	Acute Tox. 4, H302/ H312/H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412	25-50
Propan-2-ol			
67-63-0	200-661-7	Flam Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	10-<25
Polyethylene glycol octylphenol ether			
9002-93-1		Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Chronic 2, H411 Skin Irrit. 2, H315	2,5-<10

SVHC

9002-93-1 Polyethylene glycol octylphenol ether

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8. Text of H - phrases: see section 16.

Chemical Characterization:

n.ap.

Date of issue: 17.08.2016; Rev. SDS1.0EN; Replaces Data Sheet of: ---

"*" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available

SECTION 4: First aid measures**4.1 Description of first aid measures****4.1.1 Inhalation:**

Take the affected person to fresh air. Do not leave affected person unattended.

4.1.2 Skin Contact:

Immediately wash with water and soap and rinse thoroughly.

4.1.3 Eye Contact:

Rinse opened eye for several minutes under running water. Call a doctor immediately.

4.1.4 Ingestion:

Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed**Potential acute health effects:****Eye Contact:** No known significant effects or critical hazards.**Inhalation:** No known significant effects or critical hazards.**Skin Contact:** No known significant effects or critical hazards.**Ingestion:** No known significant effects or critical hazards.**Over-exposure signs/symptoms:****Eye Contact:** No specific data.**Inhalation:** No specific data.**Skin Contact:** No specific data.**Ingestion:** No specific data.**4.3 Indication of any immediate medical attention and special treatment needed****Notes to physician:**

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific Treatments:

No specific treatment.

SECTION 5: Firefighting measures**5.1 Extinguishing media****5.1.1 Suitable Extinguishing Media:**CO₂, powder or water spray. Use an extinguishing agent suitable for the surrounding fire.**5.1.2 Extinguishing Media to Avoid:**

Water with full jet.

5.2 Special hazards arising from the substance or mixture

None known.

5.3 Advice for firefighters**5.3.1 Special Protective Equipment:**

Do not inhale explosion or combustion gases.

5.3.2 Additional Information:

--

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****6.1.1 For non-emergency personnel**

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

6.1.2 For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "6.1.1 For non-emergency personnel".

Date of issue: 17.08.2016; Rev. SDS1.0EN; Replaces Data Sheet of: ---

"*" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available



6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

6.3.1 Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

6.3.2 Large spill

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 7 for information on safe handling.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1.1 Precautions for Safe Handling:

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air). Store in cool, dry place in tightly closed receptacles. Do not ingest. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday. Avoid contact with skin and eyes. Put on appropriate personal protective equipment (see Section 8). Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

7.1.2 Precautions in Case of Fire and Explosion:

Keep ignition sources away - Do not smoke. Fumes can combine with air to form an explosive mixture. Flammable gas-air mixtures may form in empty receptacles. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

7.2.1 Storage Instructions:

Storage temperature: Ambient Temperature. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.2.2 Store away from:

Store away from oxidizing agents (see section 10) and food and drink.

7.2.3 Further Information on Storage Conditions:

Keep container tightly sealed. Store receptacle in a well ventilated area.

7.3 Specific end use(s)

n.av.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Material	Limit Value
67-63-0 Propan-2-ol	WEL Short-term value: 1250 mg/m ³ , 500 ppm Long-term value: 999 mg/m ³ , 400 ppm

Date of issue: 17.08.2016; Rev. SDS1.0EN; Replaces Data Sheet of: ---

"*" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available



8.2 Exposure controls

8.2.1 Appropriate engineering controls

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

8.2.2 Individual protection measures

8.2.2a Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

8.2.2b Respiratory protection:

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

8.2.2c Hand protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

8.2.2d Eye/face protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If operating conditions cause high dust concentrations to be produced, use dust goggles.

8.2.2e Body protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

8.2.2f Other skin protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

8.2.2g Further Information:

Observe wearing time limits.

8.2.3 Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

9.1.1	Physical state: Fluid	Colour: Clear	Odour: Characteristic Odour threshold: n.av.
9.1.2	pH-value, undiluted:	n.av.	
9.1.3	pH-value, 1% aqueous solution:	n.av.	
9.1.4	Melting point / freezing point (°C):	n.av.	
9.1.5	Boiling point / Boiling - range (°C):	n.av.	
9.1.6	Flash point (°C):	<21	
9.1.7	Evaporation rate:	n.av.	
9.1.8	Flammability (EEC A10/A13):	n.av.	
9.1.9	Ignition temperature (°C):	425	
9.1.10	Autoflammability (EEC A16):	Product is not self-igniting.	
9.1.11	Explosion hazard:	Product is not explosive. However, formation of explosive air/vapor mixtures is possible.	
9.1.12	Oxidising properties:	n.av.	
9.1.13	Explosion limits (Vol.%) lower/upper:	2.0 / 12.0	
9.1.14	Vapour pressure (20°C):	43 hPa	
9.1.15	Vapour density (Air = 1):	n.av.	

Date of issue: 17.08.2016; Rev. SDS1.0EN; Replaces Data Sheet of: ---

"*" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available

- 9.1.16 Density (g/ml): n.av.
- 9.1.17 Solubility (in Water): Soluble
- 9.1.18 Partition coefficient, n-Octanol / Water: n.av.
- 9.1.19 Viscosity: n.av.
- 9.1.20 Solvent content (m %): n.av.
- 9.1.21 Thermal decomposition (°C): n.av.
- 9.1.22 Evaporation rate: n.av.
- 9.2 **Other information**
n.av.

SECTION 10: Stability and reactivity

- 10.1 **Reactivity**
No specific test data related to reactivity available for this product or its ingredients.
- 10.2 **Chemical stability**
The product is stable under the recommended application and storage conditions.
- 10.3 **Possibility of hazardous reactions**
Forms explosive gas mixture with air. Contact with acids releases toxic gases.
- 10.4 **Conditions to avoid**
Handle in accordance with good industrial hygiene and safety practice.
- 10.5 **Incompatible materials**
No specific data.
- 10.6 **Hazardous decomposition products**
Carbon monoxide and carbon dioxide. Flammable gases/vapours. Poisonous gases/vapours

SECTION 11: Toxicological information

- 11.1 **Information on toxicological effects**
Acute Health Effects: Harmful if swallowed
- 593-84-0 Guanidinium thiocyanate**
Oral: LD50 593 mg/kg (rat)
- 67-63-0 Propan-2-ol**
Inhalative: LC50/4h 30 mg/l (rat)
Oral: LD50 5045 mg/kg (rat)
Dermal: LD50 12800 mg/kg (rabbit)
- 9002-93-1 Polyethylene glycol octylphenol ether**
Oral: LD50 1800 mg/kg (rat)
Dermal: LD50 8000 mg/kg (rabbit)
- Skin corrosion / irritation: Causes severe skin burns and eye damage.
- Serious eye damage / irritation: Causes serious eye damage.
- Respiratory or skin sensitisation: n.av.
- Germ cell mutagenicity: n.av.
- Carcinogenicity: n.av.
- Reproductive toxicity: n.av.

Specific target organ toxicity
(single exposure):

Product/ingredient name	Category	Route of exposure	Target organs

Specific target organ toxicity
(repeated exposure): n.av.
Aspiration hazard: n.av.

Date of issue: 17.08.2016; Rev. SDS1.0EN; Replaces Data Sheet of: ---

"*" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available



11.1.1 – Practical Experience

11.1.1.11 n.av.

11.1.1.12 Practical Experience

Observations relevant for classification:

None.

Further Observations:

None.

Classification of the preparation has been done by calculation in accordance with EEC directives.

11.2 Information on the likely routes of exposure

Routes of entry anticipated: Oral, Dermal, Inhalation.

11.3 Potential acute health effects

Inhalation:

May cause respiratory irritation.

Ingestion:

Irritating to mouth, throat and stomach.

Skin contact:

Causes skin irritation.

Eye contact:

Causes serious eye irritation.

11.4 Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:

Adverse symptoms may include the following:

respiratory tract irritation

coughing

wheezing and breathing difficulties

Ingestion:

No specific data.

Skin contact:

Adverse symptoms may include the following:

irritation

redness

Eye contact:

Adverse symptoms may include the following:

pain or irritation

watering

redness

11.5 Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects: May cause drowsiness or dizziness.

Potential delayed effects: n.av.

Long term exposure

Potential immediate effects: n.av.

Potential delayed effects: n.av.

Potential chronic health effects: n.av.

11.6 Conclusion/Summary

General: May cause drowsiness or dizziness.

Carcinogenicity: No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Teratogenicity: No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.

Fertility effects: No known significant effects or critical hazards.

Other information: n.av.

Date of issue: 17.08.2016; Rev. SDS1.0EN; Replaces Data Sheet of: ---
 "**" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available

SECTION 12: Ecological information

12.1 Toxicity

n.av.

12.2 Persistence and degradability

n.av.

12.3 Bioaccumulative potential

n.av.

12.4 Mobility in soil

n.av.

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

12.5 Results of PBT and vPvB assessment

This mixture contains no substances which are assessed to be PBT or vPvB.

12.6 Other adverse effects

- 12.6.1 COD-Value, mg/g: n.av.
- 12.6.2 BOD5-Value, mg/g: n.av.
- 12.6.3 AOX-Remarks: n.ap.
- 12.6.4 Significant Components: None.
- 12.6.5 Other adverse effects: n.ap.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

13.1.1 Product methods of disposal

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

13.1.2 Packaging methods of disposal

The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

13.2 Contaminated Packaging

Recommendation: n.av.

Safe Handling: as described under 13.1.1

13.2.3 Waste - Code - No.

n.av.

13.3 Special precautions




This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR	IMDG	IATA
14.1	UN number		
	UN2924	UN2924	UN2924
14.2	UN proper shipping name		

Date of issue: 17.08.2016; Rev. SDS1.0EN; Replaces Data Sheet of: ---

"*" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available

	2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), guanidinium thiocyanate)	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), guanidinium thiocyanate)	Flammable liquids, corrosive, n.o.s. (Isopropanol, guanidinium thiocyanate)
14.3	Transport hazard class(es)		
	 <p>Class: 3 Flammable Liquids Label: 3+8</p>	 <p>Class: 3 Flammable Liquids Label: 3/8</p>	 <p>Class: 3 Flammable Liquids Label: 3 (8)</p>
14.4	Packing group		
	II	II	II
14.5	Environmental hazards		
		Marine Pollutant: No	
14.6	Special precautions for user		
	Warning: Flammable liquids Danger code (Kemler): 338 EMS Number: F-E, S-C	Warning: Flammable liquids Stowage category: B Stowage Code: Clear of living quarters	Warning: Flammable liquids
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
		None.	
14.8	Transport/Additional information		
	Transport category: 2 LQ: 1L Tunnel category: 2 Tunnel restriction code: D/E UN „Model Regulation“: UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), GUANIDINIUM THIOCYANATE), 3 (8), II		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations, limitations and prohibitive regulations:

Substances of very high concern (SVHC) according to REACH, Article 57:

9002-93-1 polyethylene glycol octylphenol ether

15.2 Chemical safety assessment:

None.

SECTION 16: Other information

16.1 Abbreviations and acronyms

ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.1272/2008]

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

PNEC = Predicted No Effect Concentration

RRN = REACH Registration Number

16.2 Full text of hazard and/or precautionary statements from section 2 to 15

16.2.1 Full text of abbreviated H statements

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

Date of issue: 17.08.2016; Rev. SDS1.0EN; Replaces Data Sheet of: ---

"*" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available



H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

16.3 Other

This datasheet has been compiled in accordance with EU regulation 2015/830. The statements in this Material Safety Data Sheet were made to the best of our knowledge and are as accurate as possible. They are given for information only. They do not constitute a contractual guarantee of a product's properties. They must neither be altered nor transferred to other products.

16.4 Notice to reader

The statements contained herein are based upon technical data that Minerva Biolabs GmbH believes to be reliable, are offered for information purposes only and as a guide to the appropriate precautionary and emergency handling of the material by a properly trained person having the necessary technical skills. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use, storage and disposal of these materials and the safety and health of employees and customers and the protection of the environment. Minerva Biolabs GmbH MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE, WITH RESPECT TO THE INFORMATION HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS.